

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name : . EXOTIC FRUIT
Product code : 1254866 - 100ml
Application : Airfreshener. For industrial or institutional use. Professional use.
Supplier : HIS
G. Jubileumplein 19
B-3582 Koersel, Belgium
E-mail : info@hisbvba.com

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
BE - Telephone : +32 78 15 80 81 (During office hours only)

2 HAZARDS IDENTIFICATION

Classification : Extremely flammable. Dangerous for the environment.
Human health hazards : Low hazard for usual industrial or commercial handling. Exposure to high vapour concentrations may result in a narcotic effect. Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. May produce an allergic reaction.
Physical/chemical hazards : Extremely flammable. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C.
Environmental hazards : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Other information : Keep out of the reach of children. Caution: Do not breathe spray. Use only in well-ventilated areas. Spray in short intervals for a short period only. Ventilate well after use. Harmful to house pets.

Label elements (99/45/EC):

Hazard symbols :



F+: Extremely flammable

R- and S-phrases :

R12	Extremely flammable.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S2	Keep out of the reach of children.
S16	Keep away from sources of ignition — No smoking.
S23 Aerosol	Do not breathe spray.
S51	Use only in well-ventilated areas.

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

H222	Extremely flammable aerosol.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P211	Do not spray on an open flame or other ignition source.

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

P251	Pressurized container: Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.
P273	Avoid release to the environment.
P501	Dispose of contents/container to an official chemical waste depot.

3 COMPOSITION / INFORMATION ON INGREDIENTS

*

Product description : Preparation.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC nr.	Symbols	R-phrases
Isobutane	50 - 75	75-28-5	200-857-2	F+	12
Ethanol	10 - 20	64-17-5	200-578-6	F	11
Propan-2-ol	10 - 15	67-63-0	200-661-7	F; Xi	11-36-67
Propyleneglycol	1 - 5	57-55-6	200-338-0	----	----
Butane	0,1 - 1	106-97-8	203-448-7	F+	12
alpha-Hexylcinnamaldehyde	0,1 - 1	101-86-0	202-983-3	Xi	43
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-inden-6-yl propionate	0,1 - 1	17511-60-3	241-514-7	N	51/53
Undecan-4-olide	0,1 - 1	104-67-6	203-225-4	N	51/53
Isopentyl salicylate	0,1 - 1	87-20-7	201-730-4	N	51/53
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno(5,6-c)pyran	0,1 - 1	1222-05-5	214-946-9	N	50/53
Propane	0,1 - 1	74-98-6	200-827-9	F+	12
Benzyl salicylate	0,1 - 1	118-58-1	204-262-9	Xi; N	43-51/53
d-Limonene	0,1 - 1	5989-27-5	227-813-5	Xi; N	10-38-43-50/53
Citronellol	0,1 - 1	106-22-9	203-375-0	Xi; N	38-43-51/53
Butylphenyl methylpropional	0,1 - 1	80-54-6	201-289-8	Xn; N	22-38-43-51/53-62
Geraniol	0,1 - 1	106-24-1	203-377-1	Xi	38-41-43

Reference is made to chapter 16 for full text of each relevant R phrase. Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Concentration (w/w) (%)	REACH nr.	Hazard Class	Pictograms	H-phrases
Isobutane	50 - 75	----	Flam. Gas 1; Press. Gas	GHS02-GHS04	H220
Ethanol	10 - 20	01- 2119457610-43	Flam. Liq. 2	GHS02	H225
Propan-2-ol	10 - 15	01- 2119457558-25	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	GHS02-GHS07	H225-H319-H336
Propyleneglycol	1 - 5	----	----	----	-----
Butane	0,1 - 1	----	Flam. Gas 1; Press. Gas	GHS02-GHS04	H220
alpha-Hexylcinnamaldehyde	0,1 - 1	----	Skin Sens. 1	GHS07	H317
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-inden-6-yl propionate	0,1 - 1	----	Aquatic Chronic 2	GHS09	H411
Undecan-4-olide	0,1 - 1	----	Aquatic Chronic 2	GHS09	H411
Isopentyl salicylate	0,1 - 1	----	Aquatic Chronic 2	GHS09	H411
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno(5,6-c)pyran	0,1 - 1	----	Aquatic Acute 1; Aquatic Chronic 1	GHS09	H400-H410
Propane	0,1 - 1	----	Flam. Gas 1; Press. Gas	GHS02-GHS04	H220

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

Benzyl salicylate	0,1 - 1	-----	Skin Sens. 1; Aquatic Chronic 2	GHS07-GHS09	H317-H411
d-Limonene	0,1 - 1	-----	Flam. Liq. 3; Skin Irrit. 2; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 1	GHS02-GHS07-GHS09	H226-H315-H317-H410
Citronellol	0,1 - 1	-----	Aquatic Chronic 2; Skin Irrit. 2; Skin Sens. 1; Acute Tox. 4; Repr. 2	GHS07-GHS09 GHS07-GHS08-GHS09	H317-H315-H411 H302-H315-H317-H411-H361f
Butylphenyl methylpropional	0,1 - 1	-----	Skin Sens. 1; Eye Dam. 1; Skin Irrit. 2	GHS05-GHS07	H317-H318-H315
Geraniol	0,1 - 1	-----			

Reference is made to chapter 16 for full text of each relevant H phrase.

4 FIRST-AID MEASURES

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May produce an allergic reaction. May cause dry skin and redness.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : Not applicable.

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Not applicable.

5 FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
- Not suitable : Water jet.

Special exposure hazards

- : Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to cool container and prevent explosion of the aerosol.

Hazardous thermal decomposition products

- : Carbon monoxide may be evolved if incomplete combustion occurs.

Special protective equipment for fire-fighters

- : Fight a fire where aerosols are involved from a protected position. Use adequate respiratory equipment in case of insufficient ventilation.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions

- : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. See also section 8. Do not breathe vapours and/or spray. Keep away from sources of ignition — No smoking. Build up of highly flammable gasses involves an explosion risk. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Waste product should not be allowed to contaminate soil or water.
- Methods for cleaning up : Collect spilled material in containers. Collect cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

7 HANDLING AND STORAGE

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Avoid contact with skin and eyes.
- Storage : Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Protect from sunlight and keep away from heat.
- Recommended packaging : Not applicable.
- Use : Use only as directed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering measures : Comply with standard precautionary measures for working with chemicals.
- Hygienic measures : When using do not eat, drink or smoke.
- Occupational exposure limits : Occupational exposure limits have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments
Ethanol	GB	1920	-	-
Propan-2-ol	GB	999	1250	-
Propyleneglycol	GB	474	-	Total Vapour and Particulates
Butane	GB	1450	1810	-
d-Limonene		110	-	MAC: DE, CH, NL

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

- Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: not known.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Under normal conditions of use specific gloves are not required. Wear special gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm Indication of permeation breakthrough time: not known.
- Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

*

- Appearance : Aerosol.
- Colour : Colourless.
- Odour : Perfumed.
- pH : Not applicable. Almost waterfree product.
- Solubility in water : Soluble.
- Partition coefficient (n-octanol/water) : Not known.
- Flash point : Not applicable. Extremely flammable.

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

Auto ignition temperature : > 245 °C
Boiling point/boiling range : Not applicable.
Melting point/melting range : Not known.
Explosion limits (in air) : Not known. Lower explosion limit in air (%): 1,3 (Butane)
Upper explosion limit in air (%): 19 (Ethanol)
Oxidising properties : Not applicable. Does not contain oxidizing substances.
Decomposition temperature : Not applicable.
Viscosity (20°C) : Not known.
Viscosity (40°C) : Not known.
Vapour pressure (20°C) : Not known.
Vapour density (20°C) : Not known. (air = 1)
Relative density (20°C) : 0,645 g/ml
Evaporation rate : Not applicable. (n-butyl acetate = 1)

10 STABILITY AND REACTIVITY

Stability : Stable under normal conditions.
Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.
Materials to avoid : Not applicable.
Hazardous decomposition products : Not known.
Reactivity : No other hazardous reactions known.

11 TOXICOLOGICAL INFORMATION

*

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 6 %. ATE: > 5 mg/l.
Corrosion/irritation : May cause irritation to respiratory airways and coughing.
Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Not classified due to lack of data. Ingredients of unknown toxicity: 58 %.
Corrosion/irritation : Slight irritation possible. Prolonged contact may dry out and defat the skin.
Sensitisation : May produce an allergic reaction.

Eye contact

Corrosion/irritation : Slight irritation possible.

Ingestion

Acute toxicity : Calculated LD50: > 2704 mg/kg.bw. Ingredients of unknown toxicity: 59 %. ATE: > 2000 mg/kg.bw. May cause hampered eyesight.
Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Test animal	Method
alpha-Hexylcinnamaldehyde	LD50 (oral)	2450 mg/kg	Rat	-----
	LD50 (dermal)	> 3000 mg/kg	Rabbit	-----
	Skin irritation	Moderately irritant	-----	-----
	Skin sensitisation	2,372 (ug/cm2)	Mouse	OECD 429
Benzyl salicylate	LD50 (oral)	2227 mg/kg	Rat	-----

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

	Skin irritation	Non-irritant	Rabbit	----
	Eye irritation	Moderately irritant	Rabbit	----
d-Limonene	Skin sensitisation	0,725 (ug/cm2)	Mouse	OECD 429
	LD50 (oral)	4400 mg/kg	Rat	----
	LD50 (dermal)	> 2000 mg/kg	Rabbit	----
	Skin irritation	Irritant.	----	----
	Skin sensitisation	10,075 (ug/cm2)	Mouse	OECD 429
Citronellol	LD50 (oral)	3450 mg/kg	Rat	----
	LD50 (dermal)	2650 mg/kg	Rabbit	----
	Skin sensitisation	10,875 (ug/cm2)	Mouse	OECD 429
Butylphenyl methylpropional	LD50 (oral)	1390 mg/kg	Rat	----
	LD50 (dermal)	> 5000 mg/kg	Rabbit	----
	Skin irritation	Irritant.	Rabbit	OECD 404
	Eye irritation	Non-irritant	Rabbit	----
	Skin sensitisation	2,372 (ug/cm2)	Mouse	OECD 429
Geraniol	NOAEL (oral)	25 mg/kg.d	Rat	----
	LD50 (oral)	2100 mg/kg	Rat	----
	LD50 (dermal)	> 5000 mg/kg	Rabbit	----
	Skin irritation	Irritant.	Rabbit	----
	Skin sensitisation	3,525 (ug/cm2)	Mouse	OECD 429
	NOAEL (oral)	1000 mg/kg.d	Rat	----

12 ECOLOGICAL INFORMATION

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms.

Mobility : Not applicable.

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

Bioaccumulative potential : No specific information known.

Other information : Not applicable.

Ecological information:

Chemical name	Property		Test animal	Method
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-inden-6-yl propionate	Log P(ow)	3,51		
Undecan-4-olide	LC50 (fish)	569 mg/l	Oncorhynchus mykiss	----
	EC50 (waterflea)	17 mg/l	Daphnia magna	----
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno(5,6-c)pyran	LC50 (fish)	0,49 mg/l	----	----
	EC50 (waterflea)	0,26 mg/l	----	----
	IC50 (algae)	0,85 mg/l	----	----
d-Limonene	LC50 (fish)	0,72 mg/l	Pimephales promelas	OECD 203
	EC50 (waterflea)	0,36 mg/l	Daphnia magna	OECD 202
	Log P(ow)	4,2		
	Degradability	> 92		
Citronellol	LC50 (fish)	3,9 mg/l	----	----
	EC50 (waterflea)	12,4 mg/l	----	----
	IC50 (algae)	2,38 mg/l	----	----
	Log P(ow)	3,1		
Butylphenyl methylpropional	LC50 (fish)	2,2 mg/l	Brachydanio rerio	OECD 203
	EC50 (waterflea)	10,7 mg/l	Daphnia magna	----

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

Benzyl salicylate	Log P(ow)	4,3		
Isopentyl salicylate	Degradability	68		OECD 301 F
	Log P(ow)	4,3		
	EC50 (waterflea)	2,8 mg/l	Daphnia magna	-----

13 DISPOSAL CONSIDERATIONS

- Product residues : Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack with regular household waste. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

14 TRANSPORT INFORMATION

- UN nr. : UN 1950
- Transport name : AEROSOLS

ADR/RID (road / railway)

- Class : 2
- Classification code : 5F
- Packaging group : -
- Danger label : 2,1



IMDG (sea)

- Class : 2
- Packaging group : -
- EmS (fire / spill) : F - D / S - U
- Marine pollutant : No

IATA (air)

- Class : 2

- Other information : Country specific variations may apply.

15 REGULATORY INFORMATION

*

- Community regulations : Regulation (EC) No 1907/2006 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC (aerosols) and other regulations.

Additional labelling

MATERIAL SAFETY DATA SHEET

According to Regulation (EC) 1907/2006

Other information : The packaging shall carry the text: Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition — No smoking. Keep out of the reach of children. Contains: alpha-Hexylcinnamaldehyde Benzyl salicylate d-Limonene Citronellol Butylphenyl methylpropional Geraniol May produce an allergic reaction. In the UK it is recommended that all aerosols should be labelled on the back with the warning about the dangers of volatile solvent abuse. The label should contain the badge 'Solvent Abuse Can Kill Instantly' accompanied by the phrase 'Use only as directed'. Advised text according to "Arrêté du 24 mars 1993" (France): Do not spray near fire, sources of heat or live electrical equipment. Spray in short intervals and for short periods only. Ventilate well after use.



16 OTHER INFORMATION

*

The information in this safety data sheet is compiled in compliance with Regulation (EC) 1907/2006 dated 18 December 2006 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of R-phrases mentioned in section 3:

R10	Flammable.
R11	Highly flammable.
R12	Extremely flammable.
R22	Harmful if swallowed.
R36	Irritating to eyes.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.
R67	Vapours may cause drowsiness and dizziness.

Full text of H-phrases mentioned in section 3:

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.

Number format : ", " used as decimal separator.

History

Date of first issue : ----
Date of second issue : 29-08-2011 Herewith all previous issues are expired.